

Author index

- Åkerbäck A: see Söderkvist et al, p 360
Aaltonen MVP: Occupational injuries in the Finnish furniture industry, p 197
Ahmadi A: see Söderkvist et al, p 360
Alván G: see Phillips et al, suppl 1
Andersen A: see Kristensen et al, p 14
Andersen A: see Welp et al, p 223
Ando Y, et al: Elevated urinary cadmium concentrations in a patient with acute cadmium pneumonitis (case report), p 150
Anttila S: see Karjalainen et al, p 34
Armstrong BG: see Deadman et al, p 415
Astashevsky SV: see Bulbulyan et al, p 27
Axelson O: see Flodin et al, p 451
Axelson O: see Rahman et al, p 146
Axelson O: see Söderkvist et al, p 360
Axelson O: Where do we go in occupational neuroepidemiology? (editorial), p 81
Baur X, et al: Regulations on occupational diseases and the current situation in Germany (occupational health regulation), p 306
Bekkelund SI: see Pierre-Jerome et al, p 119
Belin L: see Thörn et al, p 311
Belkić K: see Uglješić et al, p 211
Bellander T: see Welp et al, p 223
Bentley MC: see Phillips et al, suppl 1
Biocca M: see Welp et al, p 223
Blaszkevicz M: see Golka et al, p 332
Blatter BM & Roeleveld N: Spina bifida and parental occupation in a Swedish register-based study, p 433
Bosković D: see Uglješić et al, p 211
Bosković S: see Uglješić et al, p 211
Boffetta P: see Bulbulyan et al, p 27
Boffetta P: see De Stefani et al, p 346
Boffetta P: see Welp et al, p 223
Bolas SM: see Crawford & Bolas, p 243
Bolt HM: see Golka et al, p 332
Bourbonnais R, et al: Job strain and psychological distress in white-collar workers, p 139
Brisman J: see Torén et al, p 102
Brisson C: see Bourbonnais et al, p 139
Brochard P: see Schneider et al, p 274
Bulbulyan MA, et al: Mortality in a cohort of Russian fertilizer workers, p 27
Burdett G: see Schneider et al, p 274
Burema J: see de Cock et al, p 425
Bye AS: see Kristensen et al, p 14
Bylin G, et al: Health risk evaluation of ozone, suppl 3
Cascorbi I: see Golka et al, p 332
Cesana G, et al: Job strain and ambulatory blood pressure levels in a population-based employed sample from men in northern Italy, p 294
Chia H-P: see Chia et al, p 374
Chia K-S: see Chia et al, p 374
Chia S-E, et al: Three-year follow-up of serial nerve conduction among lead-exposed workers, p 374
Choi K: see Kim et al, p 387
Clavel J, et al: Farming, pesticide use and hairy-cell leukemia, p 285
Cock NA: see Malchaire et al, p 176
Coggon D: see Welp et al, p 223
Cotgreave I: see Bylin et al, suppl 3
Crawford JO & Bolas SM: Sick building syndrome, work factors and occupational stress (review), p 243
Danø H, et al: Underreporting of occupational cancers in Denmark (short communication), p 55
Dassa S: see Goldberg et al, p 45
David S: see Goldberg et al, p 45
de Cock J, et al: Experts' subjective assessment of pesticide exposure in fruit growing, p 425
De Stefani E, et al: Occupation and the risk of lung cancer in Uruguay, p 346
De Vito G: see Cesana et al, p 294
Deadman J-E, et al: Exposure to 60-Hz magnetic and electric fields at a Canadian electric utility, p 415
Delemotte B: see Clavel et al, p 285
Dich J, et al: Testicular cancer in pesticide applicators in Swedish agriculture (letter to the editor), p 66
Dills RL: see Pierce et al, p 112
Dimich-Ward H, et al: Reproductive effects of paternal exposure to chlorophenolate wood preservatives in the sawmill industry, p 267
Draeger U: see Schneider et al, p 274
Echeverria D: see Proctor et al, p 124
Edling C: see Friis et al, p 364
Eenberg W: see Kirkeskov Jensen & Eenberg, p 165
Engstrand L: see Friis et al, p 364
Eriksson KA, et al: Terpene exposure and respiratory effects among sawmill workers, p 182
Ferrario M: see Cesana et al, p 294
Ferro G: see Welp et al, p 223
Finkelstein M: Mesothelioma in oil refinery workers (letter to the editor), p 67
Flandrin G: see Clavel et al, p 285
Flodin U, et al: Bronchial asthma and air pollution at workplaces, p 451
Flodin U: see Söderkvist et al, p 360
Fontana V: see Welp et al, p 223
Francis M: see Stewart et al, p 405
Friis L, et al: Prevalence of *Helicobacter pylori* infection among sewage workers, p 364
Fuchs J, et al: Transient increase in DNA strand breaks in car refinishing spray painters, p 438
Fuhrer R: see Goldberg et al, p 45
Gerhardsson L, et al: Evaluation of selected publications on reference values for lead in blood (review), p 325
Goldberg M: see Goldberg et al, p 45
Goldberg P, et al: Work conditions and mental health among prison staff in France, p 45
Golka K, et al: Occupational history and genetic N-acetyltransferase polymorphism in urothelial cancer patients of Leverkusen, Germany, p 332
Guillemin M: see Schneider et al, p 274
Gustafsson L: see Bylin et al, suppl 3
Härmä MI: see Hakola et al, p 133
Hagberg M: see Wenemark et al, p 204
Hagberg S: see Torén et al, p 102
Hagmar L: see Rylander et al, p 260
Hakola T, et al: Circadian adjustment of men and women to night work, p 133
Hammarström U: see Eriksson et al, p 182
Heederik D: see de Cock et al, p 425
Hémon D: see Clavel et al, p 285
Hengstler JG: see Fuchs et al, p 438
Henriksen L: see Nielsen et al, p 108
Hernberg S: Significance testing of potential confounders and other properties of study groups — misuse of statistics (commentary), p 315
Hershler R: see Dimich-Ward et al, p 267
Hertzman C: see Dimich-Ward et al, p 267
Holm L-E: see Dich et al, p 66
Howard DA: see Phillips et al, suppl 1
Hummrich F: see Fuchs et al, p 438
Husman T: Health effects of indoor-air microorganisms (review), p 5
Hwang T: see Kim et al, p 387
Ilić M: see Uglješić et al, p 211
Irgens LM: see Kristensen et al, p 14
Jensen G: see Kolstad et al, p 58
Jensen MV: see Tüchsen et al, p 444
Jeyaratnam J: see Chia et al, p 374

- Jönsson P: see Flodin et al, p 451
 Jonsson P: see Torén & Jonsson, p 227
 Jourenkova NJ: see Bulbulyan et al, p 27
 Juhakoski P: see Ruokonen et al, p 62
 Jung G: see Kim et al, p 387
 Jung K: see Kim et al, p 387
 Kalman DA: see Pierce et al, p 112
 Karjalainen A, et al: Pulmonary asbestos bodies and asbestos fibers as indicators of exposure, p 34
 Karlsson G: see Torén et al, p 102
 Kauppinen T: Exposure assessment — a challenge for occupational epidemiology (editorial), p 401
 Kazantzis G: see Gerhardtsson et al, p 325
 Kelly S: see Dimich-Ward et al, p 267
 Kierfeld G: see Golka et al, p 332
 Kim H: see Kim et al, p 387
 Kim J: see Kim et al, p 387
 Kim Y, et al: Hematopoietic and reproductive hazards of Korean electronic workers exposed to solvents containing 2-bromopropane, p 387
 Kirkeskov Jensen L & Eenberg W: Occupation as a risk factor for knee disorders (review), p 165
 Kogevinas M: see De Stefani et al, p 346
 Kogevinas M: see Welp et al, p 223
 Kolstad H: see Welp et al, p 223
 Kolstad HA, et al: Clonal chromosome aberrations in myeloid leukemia after styrene exposure (short communication), p 58
 Korhonen OS: see Piirilä et al, p 191
 Kristensen P, et al: Incidence and risk factors of cancer among men and women in Norwegian agriculture, p 14
 Kromhout H: see de Cock et al, p 425
 Kuosma E: see Viikari-Juntura et al, p 251
 Laake P: see Kristensen et al, p 14
 Laitinen JT: see Hakola et al, p 133
 Landre MF: see Goldberg et al, p 45
 Ledin MC: see Eriksson et al, p 182
 Lees PSJ: see Stewart et al, p 405
 Levin JO: AIRMON '96 — the second international symposium on modern principles of air monitoring, 4—8 February 1996 (meeting report), p 231
 Levin JO: NORDQUAL'96 — The Second Nordic Workshop on Quality Assurance in Occupational Hygiene, 8—9 February 1996 (meeting report), p 230
 Levin JO: see Eriksson et al, p 182
 Lewné M: see Thörn et al, p 311
 Lin T-H: see Yiin et al, p 381
 Linnainmaa M: see Ruokonen et al, p 62
 Lisse I: see Kolstad et al, p 58
 Lundberg I: see Welp et al, p 223
 Lundström R: see Wenemark et al, p 204
 Lyngé E: see Danø et al, p 55
 Lyngé E: see Kolstad et al, p 58
 Lyngé E: see Tüchsen et al, p 444
 Lyngé E: see Welp et al, p 223
 Malchaire JB, et al: Prevalence of musculoskeletal disorders at the wrist as a function of angles, forces, repetitiveness and movement velocities, p 176
 Mancía G: see Cesana et al, p 294
 Mandereau L: see Clavel et al, p 285
 Marion SA: see Dimich-Ward et al, p 267
 Martikainen R: see Viikari-Juntura et al, p 251
 Martinon L: see Schneider et al, p 274
 Maruyama S & Morimoto K: Effects of long workhours on life-style, stress and quality of life among intermediate Japanese managers, p 353
 Mellgren SI: see Pierre-Jerome et al, p 119
 Mendilaharsu M: see De Stefani et al, p 346
 Milesi C: see Cesana et al, p 294
 Moisan J: see Bourbonnais et al, p 139
 Moon Y: see Kim et al, p 387
 Morgan WG: see Wilbourn et al, p 154
 Morimoto K: see Maruyama & Morimoto, p 353
 Mukeria AF: see Bulbulyan et al, p 27
 Nielsen H, et al: Malignant melanoma among lithographers, p 108
 Nilsson T: see Wenemark et al, p 204
 Nordberg G: Human biomonitoring of trace elements — continued need for critical evaluation (editorial), p 321
 Nordman H: see Piirilä et al, p 191
 Nurminen M: see Karjalainen et al, p 34
 Nyberg F: see Bylin et al, suppl 3
 Oesch F: see Fuchs et al, p 438
 Olsen J: see Kolstad et al, p 58
 Olsen JH: see Nielsen et al, p 108
 Ong C-N: see Chia et al, p 374
 Osterode W: Hemorheology in occupational lead exposure, p 369
 Ostry A: see Dimich-Ward et al, p 267
 Park D: see Kim et al, p 387
 Park J: see Kim et al, p 387
 Park J: see Kim et al, p 387
 Park S: see Kim et al, p 387
 Partanen T: see Welp et al, p 223
 Partanen T: What's with epidemiologic meta-analyses? (editorial), p 241
 Partensky C: see Wilbourn et al, p 154
 Pedersen B: see Kolstad et al, p 58
 Pershagen G: see Bylin et al, suppl 3
 Philip P: see Kolstad et al, p 58
 Phillips K, et al: Assessment of air quality in Stockholm by personal monitoring of nonsmokers for respirable suspended particles and environmental tobacco smoke, suppl 1
 Pierce CH, et al: Partition coefficients between human blood or adipose tissue and air for aromatic solvents, p 112
 Pierre-Jerome C, et al: Quantitative magnetic resonance imaging and the electrophysiology of the carpal tunnel region in floor cleaners, p 119
 Piirilä PL, et al: A thirteen-year follow-up of respiratory effects of acute exposure to sulfur dioxide, p 191
 Plomp HN: Accessibility and utilization of occupational health services, p 216
 Prior V: see Golka et al, p 332
 Proctor SP, et al: Effect of overtime work on cognitive function in automotive workers, p 124
 Rahman M, et al: Diabetes mellitus among Swedish art glass workers — an effect of arsenic exposure? (short communication), p 146
 Raas S: see Viikari-Juntura et al, p 251
 Reijula K: Buildings with moisture problems — a new challenge to occupational health care (editorial), p 1
 Riihimäki H: see Viikari-Juntura et al, p 251
 Robert AR: see Malchaire et al, p 176
 Robins TG: see Proctor et al, p 124
 Rocskay AZ: see Proctor et al, p 124
 Roeleveld N: see Blatter & Roeleveld, p 433
 Ronco A: see De Stefani et al, p 346
 Roots I: see Golka et al, p 332
 Ruokonen E-L, et al: A fatal case of hard-metal disease (case report), p 62
 Rylander L, et al: Dietary intake of fish contaminated with persistent organochlorine compounds in relation to low birth-weight, p 260
 Saarenmaa K: see Viikari-Juntura et al, p 251
 Sakai S: see Ando et al, p 150
 Saracci R: see Welp et al, p 223
 Schneider T, et al: Ubiquitous fiber exposure in selected sampling sites in Europe, p 274
 Schöps W: see Golka et al, p 332
 Schütz A: see Gerhardtsson et al, p 325
 Segal R: see Cesana et al, p 294
 Seixas NS & L Sheppard: Maximizing accuracy and precision using individual and grouped exposure assessments, p 94
 Seuri M: see Ruokonen et al, p 62
 Séverin F: see Clavel et al, p 285
 Sheppard L: see Seixas & Sheppard, p 94
 Shibata E: see Ando et al, p 150
 Shih T-S: see Yiin et al, p 381
 Silvey GW: see Pierce et al, p 112
 Skotte JH: Exposure to high-frequency transient electromagnetic fields, p 39
 Skov T: see Danø et al, p 55
 Söderkvist P, et al: Glutathione S-transferase M1 null genotype as a risk modifier for solvent-induced chronic toxic encephalopathy, p 360

- Söderström K-O: see Ruokonen et al, p 62
 Spence A: see Welp et al, p 223
 Stewart PA, et al (review): Quantification of historical exposures in occupational cohort studies, p 405
 Stjernberg NL: see Eriksson et al, p 182
 Strömberg U: see Rylander et al, p 260
 Sundell J: see Bylin et al, suppl 3
 Takala E-P: see Viikari-Juntura et al, p 251
 Teichert U: see Schneider et al, p 274
 Teschke K: see Dimich-Ward et al, p 267
 Thériault G: see Deadman et al, p 415
 Thörn Å, et al: Allergic alveolitis in a school environment (case report), p 311
 Tinggaard Pedersen N: Kolstad HA et al, p 58
 Toomingas A: Provocation of the electromagnetic distress syndrome (case report), p 457
 Torbergson T: see Pierre-Jerome et al, p 119
 Torén K, et al: Improved nasal clearance among pulp-mill workers after the reduction of lime dust, p 102
 Torén K & Jonsson P: Is skull sawing by autopsy assistants overlooked as a cause of vibration-induced white fingers? (case report), p 227
 Tsuchiyama F: see Ando et al, p 150
 Tüchsen F, et al: Incidence of lung cancer among cobalt-exposed women, p 444
 Uglješić M, et al: Exercise testing of young, apparently healthy professional drivers, p 211
 Vainio H: Beta carotene and cancer: risk or protection? (editorial), p 161
 Vainio H: see Karjalainen et al, p 34
 Valjus J: Health risks of electric and magnetic fields caused by high-voltage systems in Finland (research program), p 85
 Vanhala E: see Karjalainen et al, p 34
 Verkasalo PK: Magnetic fields and leukemia — risk for adults living close to power lines, suppl 2
 Vézina M: see Bourbonnais et al, p 139
 Victorin K: see Bylin et al, suppl 3
 Viikari-Juntura E: Second international scientific conference on the prevention of work-related musculoskeletal disorders, PREMUS 95, 24–28 September 1995, Montreal (Canada) (meeting report), p 68
 Viikari-Juntura E, et al: Validity of self-reported physical work load in epidemiologic studies on musculoskeletal disorders, p 251
 Villadsen E: see Tüchsen et al, p 444
 Weber K: see Baur et al, p 306
 Wellage LC: see Wilkins III & Wellage, p 339
 Welp E, et al: Exposure to styrene and mortality from nonmalignant diseases of the genitourinary system (short communication), p 223
 Wenemark M, et al: Vibrotactile perception thresholds as determined by two different devices in a working population, p 204
 White RF: see Proctor et al, p 124
 Wiklund K: see Dich et al, p 66
 Wilbourn J, et al: IARC evaluates printing processes and printing inks, carbon black and some nitro compounds (meeting report), p 154
 Wilkins III JR & Wellage LC: Brain tumor risk in offspring of men occupationally exposed to electric and magnetic fields, p 339
 Winblad I: see Piirilä et al, p 191
 Wingren G: see Rahman et al, p 146
 Yiin S-J, et al: Lipid peroxidation in workers exposed to manganese, p 381
 Zaghow M: see Baur et al, p 306
 Zanchetti A: see Cesana et al, p 294
 Zaridze DG: see Bulbulyan et al, p 27
 Ziegler J: see Flodin et al, p 451
 Zuber A: see Bylin et al, suppl 3

Key terms

- 2-bromopropane, 389
 abnormalities, 267
 absorption, suppl 3
 accessibility, 216
 accident investigation, 197
 accident research, 197
 accident statistics, 197
 accuracy, 94
 acetylation phenotype, 332
 acute cadmium poisoning, 150
 acute exposure, 191
 adipose tissue, 112
 adult risks, suppl 2
 agricultural workers, 433
 agriculture, 14, 66, 285, 425
 air, 112
 air monitoring, 231
 air pollution, 451
 air quality, suppl 1
 air quality guidelines, suppl 3
 air quality standards, suppl 3
 AIRMON '96, 231
 alkaline elution, 438
 allergens, suppl 3
 allergic alveolitis, 311
 allergic diseases, 5
 allergic disorders, 1
 alveolitis, 5, 62
 ambient air, suppl 3
 ambulatory blood pressure, 294
 amenorrhea, 389
 anemia, 389
 animal contact, 14
 animal experiments, suppl 3
 animal husbandry, 14
 animal studies, suppl 3
 anthophyllite, 34
 anxiety, 45
 aromatic amines, 332
 aromatic solvents, 112
 arsenic, 27
 arsenic exposure, 146
 art glass workers, 146
 asbestos, 346
 asbestos bodies, 34
 asbestos fibers, 34
 assessment, 251, 415, suppl 1
 asthma, 5
 attenuation bias, 94
 automotive workers, 124
 autopsy, 227
 autopsy assistants, 227
 azoospermia, 389
 Baltic Sea, 260
 benzene, 112
 Berkson error model, 94
 beta carotene, p 161
 biochemical processes, suppl 3
 biological effects, 85
 biological molecules, suppl 3
 biomonitoring, 438
 birth defects, 433
 bladder cancer, 332
 blood lead, 369, 374
 blood pressure, 294
 blood viscosity, 369
 brain neoplasms, 339
 brain tumor risk, 339
 bronchial asthma, 451
 bronchial hyperreactivity, 191
 bronchial reactivity, 182
 building-associated illness, 311
 buildings, 1
 bursitis, 165
 cadmium pneumonitis, 150
 Canada, 415
 cancer, 14, 146, p 161, 444, suppl 3
 cancer mortality, 27
 cancer risk, 108
 captan, 425
 car refinishing spray painters, 438
 carbon black, 154
 carcinogenic mechanisms, suppl 2
 carcinogenicity, suppl 3
 carcinogens, 108
 cardiovascular disease, 211, 146
 carpal tunnel region, 119
 case report, 62, 150, 227, 311
 case-control, 146
 case-referent, 146
 case-referent study, 58, 260, 285, 451
 cause, 227
 Center for Epidemiologic Studies Depression Scales, 45
 certification of occupational hygienists, 230

- chemical properties, suppl 3
- chemoprevention, p 161
- childhood cancer, 339, suppl 2
- chlorophenolate wood preservatives, 267
- chondromalacia, 165
- chronic allergic alveolitis, 311
- chronic bronchitis, 191
- chronic obstructive pulmonary disease, 191
- chronic toxic encephalopathy, 360
- circadian adjustment, 133
- classification, suppl 2
- clonal chromosome aberrations, 58
- cobalt, 62
- cobalt-aluminate spinel, 444
- cobalt exposure, 444
- cognitive function, 124
- cohort study, 14, 27, 223, 444
- compensation, 306
- complication, 150
- confounding, 315
- congenital abnormalities, 267
- construction, 346
- construction work, 346
- consultation hour, 216
- contamination, 260
- control, 243
- controlled human studies, suppl 3
- coronary risk, 294
- correlation, 415
- crocidolite, 34
- damp housing, 1
- DDT, 346
- delta-aminolevulinic acid dehydrase, 369
- Denmark, 55
- deoxyribonucleic acid, 438
- depressive symptoms, 45
- dermal, 425
- descriptive epidemiology, suppl 2
- diabetes mellitus, 146
- diagnosis, 150
- diary, 251
- dibromochloropropane, 389
- dichlorodiphenyltrichloroethane, 346
- dietary intake, 260
- diffusing capacity, 182
- dioxins, 267
- distribution, 112
- DNA damage, 438
- DNA strand breaks, 438
- electric fields, 85, 339, 415
- electric utility, 415
- electromagnetic distress syndrome, 457
- electromagnetic fields, 339, 457
- electron microscopy, 34
- electronic workers, 389
- electrophysiology, 119
- employed samples, 294
- environment, 243
- environmental tobacco smoke, suppl 1
- eosinophilic cationic protein, 102
- epidemiologic, 146
- epidemiologic studies, 251, 405, suppl 3
- epidemiologic meta-analyses, 241
- epidemiologic study, 45
- epidemiology, 58, 165, 267, 294, 364, 401, 444
- epidemiology of neoplasms, 339
- ergonomics, 251
- erythrocyte, 369
- ethylbenzene, 112
- etiologic factors, suppl 2
- Europe, 274
- evaluation, 154, 216, 321, 325
- exercise testing, 211
- exerted force, 176
- expenses, 306
- experimental animals, suppl 3
- expert's assessment, 425
- exposure, 34, 39, 55, 223, 405, 415
- exposure assessment, 401, 405, suppl 2
- exposure indices, 415
- exposure models, 401
- exposure-response, 94
- farming, 14, 285
- fat, 112
- fatal case, 62
- fatigue, 124
- fertilizer workers, 27
- Finland, 85, 197
- fish, 260
- floor cleaners, 119
- fish consumption, 260
- follow-up, 14, 374
- follow-up of lung function, 191
- follow-up study, 374
- forage growing, 285
- formation mechanisms, suppl 3
- France, 45
- fruit growing, 425
- function, 62
- fungus, 311
- furniture industry, 197
- general epidemiology, suppl 2
- genetic N-acetyltransferase polymorphism, 332
- genitourinary system, 223
- genotoxicity, suppl 3
- Germany, 306, 332
- glutathione-S-transferase, 360
- glutathione-S-transferase M1 null genotype, 360
- grinding, 62
- grouped exposure assessments, 94
- hair-cell leukemia, 285
- hand, 204
- handworkers, 119
- hard metal, 62
- hard-metal disease, 62
- health belief model, 216
- health effects, 5
- health policy, 216
- health practice, 353
- health risk evaluation, suppl 3
- health risks, 85
- heavy physical work, 165
- Helicobacter pylori*, 364
- hematopoietic hazards, 389
- hemorrhage, 369
- heterogeneous occupational tasks, 251
- HFT fields, 39
- high-frequency transient electromagnetic fields, 39
- high-voltage systems, 85
- historical exposures, 405
- host defense mechanisms, suppl 3
- human biomonitoring, 321
- human blood, 112
- human exposure, suppl 3
- human mononuclear blood cells, 438
- human studies, suppl 3
- human toxicity, 389
- hydroquinone, 108
- hypertension, 211, 294
- IARC, 154
- immunoglobulin G antibodies, 364
- incidence, 444
- incidence factors, 14
- individual exposure assessments, 94
- indoor concentrations, suppl 3
- indoor air, suppl 3
- indoor air quality, 1
- indoor-air microorganisms, 1, 5
- indoor-outdoor relationships, suppl 3
- infection, 364
- inflammation, 102
- information, 55
- inorganic fibers, 274
- inorganic lead, 325
- intermediate managers, 353
- International Agency for Research on Cancer, 154
- irritative symptoms, 5
- ischemic heart disease, 211
- isolated cell systems, suppl 3
- Italy, 294
- James-Stein estimator, 94
- Japan, 353
- job-exposure matrix, 415
- job strain, 139, 294
- job-strain model, 294
- knee disorders, 165
- knee osteoarthritis, 165
- kneeling work, 165
- Korea, 389
- laboratory accreditation, 230
- laboratory study, 133
- lead, 81, 325, 369
- lead in blood, 325
- lead-exposed workers, 374
- leukemia, 14, 58, 285, suppl 2
- leukemia risk, suppl 2
- leukopenia, 389
- lifetime exposure, 274
- life-style, 14, 353
- lime dust, 102
- lipid peroxidation, 381
- lithographers, 108
- logbook, 251
- long workhours, 353
- long-term exposure, suppl 3
- low birthweight, 260
- low-back pain, 251
- lung cancer, 27, 346, 444
- lung cancer risk, 346
- lung function, suppl 2
- machine-paced work, 124
- macromolecule structure, suppl 3
- magnetic field exposure, suppl 2
- magnetic fields, 85, 339, 415, suppl 2
- magnetic resonance, 119
- male-mediated developmental toxicity, 267
- malignant melanoma, 108
- malondialdehyde, 381
- managers, 353
- manganese, 381
- manufacturing of nonmetal furniture, 197
- measurement error, 94
- median nerve, 119, 374
- men, 14, 133, 339
- meniscal lesions, 165
- mental health, 45, 139
- mesothelioma, 67
- meta-analyses, 241
- metabolic fate, suppl 3
- metabolism, suppl 3
- metabolites, 182
- metal exposure, 146
- metal fume, 150
- mineral fibers, 274
- misuse, 315
- moisture damage, 5
- moisture problems, 1
- molds, 5
- molecular epidemiology, 360
- mortality, 27, 223, 306, suppl 3
- movement velocity, 176

mucociliary function, 102
 multiple myeloma, 14
 musculoskeletal disorders, 68, 176, 251
 mycotoxins, 5
 myeloid leukemia, 58
 myeloperoxidase, 102
 N-nitroso compounds, 27
 naphtha, 124
 nasal clearance, 102
 nasal lavage, 102
 neck pain, 251
 neoplasm, 14
 neoplasms, 58
 nephritis, 223
 nephrosis, 223
 nerve conduction, 374
 nerve conduction parameters, 374
 nerve function, 119
 neural tube defects, 433
 neurobehavioral tests, 124
 neuropathy, 204
 neurophysiology, 119, 204
 neurotoxic effects, 81
 night work, 133
 nitro compounds, 154
 nitrogen oxides, 27
 nonmalignant diseases, 223
 nonsmokers, suppl 1
 nonspecific air pollution, 451
 nonspecific symptoms, 5
 Nordic cooperation, 197
 NORDQUAL'96, 230
 Norway, 14
 occupation, 139, 165, 346
 occupational, 39, 146, 364
 occupational cancers, 55
 occupational cohort studies, 405, 444
 occupational diseases, 306
 occupational epidemiology, 139, 401
 occupational exposure, 58, 81, 85, 146, 267, 339, 381, 389, 433, 451
 occupational health, 124, 204, 216, 223, 381
 occupational health care, 1
 occupational health regulations, 306
 occupational health services, 216
 occupational history, 332
 occupational hygiene, 230
 occupational injuries, 197
 occupational lead exposure, 369
 occupational magnetic fields, suppl 2
 occupational neuroepidemiology, 81
 occupational safety, 197
 occupational stress, 243
 occupational studies, suppl 2
 offspring, 339
 oil refinery workers, 67
 oligospermia, 389
 optical microscopy, 34
 organic fibers, 274
 organic solvents, 58
 organophosphorus insecticides, 285
 outdoor concentrations, suppl 3
 ovarian failure, 389
 overtime, 124, 353
 ozone, suppl 3
 ozone background level, suppl 3
 ozone-induced toxicity, suppl 3
 parental occupation, 433
 partition coefficients, 112
 paternal exposure, 267
 periodic examination, 216
 peripheral nerves, 374
 persistent organochlorine compounds, 260
 personal exposure, suppl 3

personal factors, 243
 personal monitoring, suppl 1
 personality, 243
 pesticide applicators, 66
 pesticide exposure, 425
 pesticide use, 285
 pesticides, 14, 81, 285, 346
 phenoxyacetic acids, 285
 photochemical oxidants, suppl 3
 physical exposures, 251
 physical properties, suppl 3
 physical work load, 251
 physiologically based pharmacokinetics, 112
 polychlorinated biphenyls, 260
 polychlorinated dibenzo p-dioxins and furans, 260
 polymorphism, 360
 population, 274
 population study, suppl 1
 population-based sample, 294
 Positron exposure meter, 415
 potential confounders, 315
 potential injury, 197
 power lines, 85, suppl 2
 practical evaluation, 85
 precipitating antibodies, 311
 precision, 94
 prevalence, 176, 227, 243, 364
 prevention, 68, 102
 primary prevention, 353
 printing industry, 108
 printing inks, 154
 printing processes, 154
 prison staff, 45
 professional drivers, 211
 proficiency testing, 230
 protection, 161
 provocation, 457
 psychological distress, 139
 psychological stress, 139
 public exposure, 85
 publications, 325
 pulmonary, 62
 pulmonary asbestos bodies, 34
 pulp-mill workers, 102
 pulsed electromagnetic fields, 39
 quality assurance, 230
 quality of life, 353
 quantification, 405
 quantification of historical exposures, 405, 444
 quantitative exposure, 251
 quantitative magnetic resonance imaging, 119
 questionnaire studies, 251
 radio-telephones, 39
 Raynaud's phenomenon, 227
 re-entry, 425
 reactive airway dysfunction syndrome, 191
 reactive oxygen metabolites, suppl 3
 recommended guideline values, suppl 2
 rectal temperature, 133
 reference values, 325
 register-based study, 433
 regulations, 306
 relationship, 94
 repetitiveness, 176
 reporting, 55
 reproduction, 267
 reproductive effects, 267
 reproductive hazards, 389
 research program, 85
 residential, 39
 residential exposure, 85

residential magnetic fields, suppl 2
 residential studies, suppl 2
 respirable suspended particles, suppl 1
 respiratory, 425
 respiratory disease, 191, 311
 respiratory diseases, suppl 3
 respiratory effects, 182, 191
 respiratory infections, 5
 respiratory symptoms, 62, suppl 3
 respiratory system morphology, suppl 3
 review, 5, 85, 165, 243
 risk, 108, 161, 339, 346
 risk factor, 165, 243, 369
 risk factors, 14
 risk modifier, 360
 risk of total leukemia, suppl 2
 Russia, 27
 saccharin test, 102
 safety provisions, 438
 salivary cortisol, 133
 salivary melatonin, 133
 sample population, suppl 1
 sampling strategy, 415
 satisfaction, 353
 sawing fumes, 182
 sawmill industry, 267
 sawmill workers, 182
 school environment, 311
 school health, 311
 selected publications, 325
 selected sampling sites, 274
 self assessment, 251
 self report, 251
 self-administered questionnaires, 251
 seniority, 45
 sensitization, suppl 3
 serial nerve conduction, 374
 serial results, 374
 serology, 364
 sewage workers, 364
 sex difference, 133
 short-term exposure, suppl 3
 sick building syndrome, 243, 311
 significance testing, 315
 silica dust, 346
 skull sawing, 227
 sleep, 133
 sleep disorders, 45
 slow acetylators, 332
 smoking, 285, suppl 1
 sociocultural, 294
 social relationships, 45
 social support, 45
 solvent, 223
 solvents, 389
 solvent exposure, 360
 solvent-induced chronic toxic encephalopathy, 360
 sources, suppl 3
 spina bifida, 433
 spraying, 425
 squatting work, 165
 State Trait Anxiety Inventory, 45
 statistics, 315
 Stockholm, suppl 1
 stomach cancer, 27
 stress, 353
 stress model, 243
 study groups, 315
 styrene, 112, 223
 styrene exposure, 58
 subjective assessment, 425
 subjective sleepiness, 133
 sulfur dioxide, 191
 sulfur dioxide exposure, 191
 summoning, 216

Sweden, 66, 146, 364, 433, suppl 1
 symptom reporting, 243
 tactile perception, 204
 tactilometer, 204
 terpene exposure, 182
 testicular cancer, 66
 thirteen-year follow-up, 191
 thoracic outlet syndrome, 457
 thrombocytopenia, 389
 toluene, 112
 toxicokinetics, 112
 trace elements, 321
 TRACY, 321
 TRACY project, 325
 traffic safety, 211
 transient increase, 438
 triazines, 285
 ubiquitous fiber exposure, 274
 ulnar nerve, 374

underreporting, 55
 upper limb disorders, 176
 urinary cadmium concentrations, 150
 urothelial cancer, 332
 Uruguay, 346
 utility industry, 39
 utilization, 216
 validity, 251
 variability, 415
 variance components, 94
 vascular disease, 369
 ventilation, 1
 vibrometer, 204
 vibration, 204
 vibration-induced white fingers, 227
 vibrotactile perception, 204
 vibrotactile perception threshold, 204
 vitamin A, p 161
 waste water, 364

welding, 81, 339
 white-collar workers, 139
 women, 14, 133, 444
 workplaces, 451
 workshop, 230
 work analysis, 251
 work characteristics, 176
 work conditions, 45
 work factors, 243
 work stress, 243, 294
 working population, 204
 work-load factors, 251
 work-related, 68
 wrist, 176
 wrist angle, 176
 xylene, 112
 young, 211

Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 1995—31 August 1996.

Torbjörn Åkerstedt
 Johan Aarli
 Anders Ahlbom
 Kimmo Aho
 Maria Albin
 Lorenzo Alessio
 Lars Alfredsson
 Ib Andersen
 JAD Anderson
 Ahti Anttila
 Sisko Anttila
 Benedict Armstrong
 Thomas Armstrong
 Bengt Arnetz
 Gunnar Aronsson
 Olav Axelsson
 Elsa Bach
 Karen Belkić
 Ulf Bergqvist
 Pier Alberto Bertazzi
 Aaron Blair
 Paolo Boffetta
 Jens Peter Bonde
 Pauline Bongers
 Alex Burdorf
 Erik Bye
 Kee Seng Chia
 David Coggon
 Pietro Comba
 Ronald Dahl
 Paul Demers
 Erik Dybing
 Christer Edling
 Lena Ekenvall
 Thomas Ekström
 Carl Gustaf Elinder
 Peter Elmes
 Birgitta Floderus
 Gösta Gemne
 Sander Greenland
 Per Gregersen

Carola Grönhagen-Riska
 Finn Gyntelberg
 Tari Haahtela
 Mats Hagberg
 Lars Hagmar
 Matti Hakama
 Timo Hakulinen
 Rolf Hanao
 Amandus Harlan
 Pirjo Heikkilä
 Markku Heliövaara
 Kari Hemminki
 Maila Hietanen
 Gunnar Hillerdal
 Björn Hilt
 Christer Hogstedt
 Erik Holst
 Kirsti Husgafvel-Pursiainen
 Pekka Huuhtanen
 Kristina Jakobsson
 Bengt Järvholm
 Raija Kalimo
 Lasse Kanerva
 Antti Karjalainen
 Timo Kauppinen
 Helena Keskinen
 Åsa Kilbom
 Helge Kjuus
 Stein Knardahl
 Bengt Knave
 Manolis Kogevinas
 David Koh
 Olli Korhonen
 Riitta-Sisko Koskela
 Petter Kristensen
 Tage S Kristensen
 Sverre Langård
 Päivi Leino-Arjas
 Marja-Liisa Lindbohm
 Kari Lindström
 Ingvar Lundberg

Per Lundberg
 Ulf Lundberg
 Ritva Luukkonen
 Elsebeth Lyng
 Heikki Lytinen
 Per Malmberg
 Antti Malmivaara
 Joseph McLaughlin
 Bo Melin
 Lars Mølhave
 Antonio Mutti
 Bengt Y Nilsson
 Henrik Nordman
 Hannu Norppa
 Tor Norseth
 Veijo Notkola
 Juhani Nuutinen
 David Oakes
 Stephen Olenchok
 Jörn Olsen
 Choon-Nam Ong
 Timo Partanen
 Markku Partinen
 Kimmo Pelttonen
 Pirkko Pfäffli
 Tapio Piriä
 Nico Plomp
 Eero Priha
 Vernon Putz-Anderson
 Vilhjalmur Rafnsson
 Antti Reunanen
 Hilikka Riihimäki
 Vesa Riihimäki
 Anita Rissler
 Harry Roels
 Tapani Ruutu
 Ragnar Rylander
 Heikki Saarni
 Thomas Sandström
 Rodolfo Saracci
 Thomas Schneider

Anne Seppälä
 Anna-Maria Seppäläinen
 Barbara Silverstein
 Lorenzo Simonato
 Gisela Sjögaard
 Vidar Skaug
 Staffan Skerfving
 Torsten Skov
 Jukka Starck
 Eva Støttrup-Hansen
 Magnus Svartengren
 Esa-Pekka Takala
 Lylly Teppo
 Kari Teramo
 Erkki O Terho
 Töres Theorell
 Gilles Theriault
 Jens Thomsen
 Antti Tossavainen
 Duncan Troup
 Finn Tüchsen
 Timo Tuomi
 Ulf Ulfvarson
 Harri Vainio
 Kate Venables
 Olof Vesterberg
 Tapio Videman
 Eira Viikari-Juntura
 Paolo Vineis
 Nina Völlestad
 Jan Wahlberg
 Stig Wall
 Stephen Watt
 Hans Welinder
 Arne Wennberg
 Peter Westerholm
 Gunnela Westlander
 Torill Woldbeck

